


# Influenza Season 2014/2015 – Riverside County, California

## Influenza Surveillance Weekly Update

### Week ending March 28, 2015


Percent of Emergency Department (ED) Visits due to Influenza-Like Illness (ILI),  
Riverside County: 2014/2015 Influenza Season



During week 12, 7.3% of visits to Riverside County emergency departments were related to influenza-like illnesses. Compared to historical data, this is within normal limits.

During week 12, 4.4% of visits to physician sentinel sites were related to influenza-like illnesses. Compared to historical data, this is within normal limits.

Percent of Total Visits at Physician Sentinel Sites due to Influenza-like Illness (ILI),  
Riverside County: 2014/2015 Influenza Season



**Deaths due to Pneumonia and Influenza:** During week 12, 6.0% of deaths were due, in part, to pneumonia or influenza. Compared to historical data, this is below normal limits.

**School Absenteeism:** During week 12, 10.6 % of students at sentinel school sites were absent due to illness. Compared to historical data, this is within normal limits.

**State Influenza Activity:** During week 12, overall influenza activity was “local” in California. Based on available data from 82 enrolled sentinel providers, the percentage of visits for ILI in week 12 (1.8%) does not exceed the epidemic threshold for this time of year. No new influenza-associated death in adults less than 65 years of age was reported during Week 12. 10 laboratory-confirmed influenza outbreaks were reported.

**National Influenza Activity:** During week 12, influenza activity decreased, but remained elevated in the United States. The proportion of outpatient visits for influenza-like illness (ILI) was 2.0%, which is at the national baseline of 2.0%. Five regions reported ILI at or above region-specific baseline levels. Puerto Rico and two states experienced high ILI activity; eight states experienced low ILI activity; New York City and 40 states experienced minimal ILI activity; the District of Columbia had insufficient data. The geographic spread of influenza in four states was reported as widespread; the U.S. Virgin Islands and 20 states reported regional activity; Guam, Puerto Rico, and 22 states reported local activity; and the District of Columbia and four state reported sporadic activity. During week 12, 6.9% of all deaths reported through the 122 Cities Mortality Reporting System were due to P&I. This percentage was below the epidemic threshold of 7.1% for week 12. Seven influenza-associated pediatric deaths were reported.

#### Additional Resources

Riverside County Influenza Information:  
State of California Influenza Information:  
United States Influenza Information:

<http://www.rivco-diseasecontrol.org/Services/InfluenzaInformation.aspx>  
[http://www.cdph.ca.gov/healthinfo/discond/Pages/Influenza\(Flu\).aspx](http://www.cdph.ca.gov/healthinfo/discond/Pages/Influenza(Flu).aspx)  
<http://www.cdc.gov/ncidod/diseases/flu/weekly.htm>

Epidemiology and Program Evaluation  
County of Riverside Department of Public Health  
<http://www.rivcohealthdata.org>  
(951) 358-5557

